

16" Max  
or Per  
Engineering

16" Max or Per Engineering

16" Max or Per Engineering

16" Max or Per  
Engineering

120" (10'-0") Maximum

120" (10'-0") Maximum

CRHB - See D01 and D02  
for Further Information

Phenolic Plank Panel

Weather Resistant Barrier,  
if Required, by Others

Panel Width

Panel Width

D03

Plan - Phenolic Plank Panel at Vertical Joining



11831 BEVERLY PARK RD. BUILDING C, EVERETT,  
WA 98204  
\* PHONE: 425.740.3702 \* FAX: 425.485.3503 \*  
www.northclad.com

This document is property of NorthClad and should not be  
used, duplicated or modified without the express written  
consent. Copyright ©2010  
NorthClad All Rights Reserved

NO.	DESCRIPTION	DATE	INIT.
1	Final Design	12/06/2019	M E
2	-	-	-
3	-	-	-
4	-	-	-
5	-	-	-
6	-	-	-
7	-	-	-
8	-	-	-
9	-	-	-
10	-	-	-

Project

## CR System for Phenolic Plank

2822 119th St SW Ste A  
Everett, WA 98204

These detail are to be pre-approved by the phenolic manufacturer.

Category

DET

Scale

3" = 1'-0"

Job Number

Sheet

D03

APPROVED